

## TYPICAL SIGNAGE AT CORRIDOR DOORS

1 SIGNAGE

Lettering shall be a light color on a dark background. Braille identification shall be provided as required. Signage at all occupied rooms shall be 7" by 7" square, (with radius corners). Signage at teaching classrooms and labs, mechanical, custodial or storage rooms shall be 4" by 7" (with radius corners).


 $\langle 2 \rangle$  BULLETIN BOARDS


18" by 24" fire rated bulletin board to be provided for each faculty office, research lab and other assignable rooms. Do not provide bulletin boards at teaching classrooms and labs and service rooms. Verify location of larger bulletin boards with University's Representative.

## NOTES:

- 1. ALL SIGNAGE SHALL COMPLY WITH CCR TITLE 24.
- 2. ALL SIGN SURFACES SHALL HAVE A NON-GLARE FINISH.

UNIVERSITY OF CALIFORNIA	SHEET TITLE TYPICAL SIGNAGE	DRAWN	LOCATION	FILE NO. REF
SANTA CRUZ	AT CORRIDOR DOOR  BUILDING OR PROJECT	CHECKED SK	1/2"=1'-0"	SHEET 1 1 1 1
Physical Planning and Construction	CAMPUS STANDARDS	PP&C	12/17/1997	1 <b>0.4-4</b> 1





UNIVERSITY OF CALIFORNIA	SHEET TITLE	DRAWN ENG	LOCATION	FILE NO. REF
SANTA CRUZ	CAMPUS PHONE BUILDING OR PROJECT	CHECKED AB	N.T.S.	SHEET
Physical Planning	CAMPUS STANDARDS	APPROVED PP&C	DATE 6/1/04	10.7-51
and Construction	CAIVIPUS STANDARDS	PP&C	0/1/04	OF